			528 Rec'd PCT/PTO 30 NOV				
ORMPTO-1390(Modified) EV 11-98)		OF COMMERCEPATENTAND TRADEMARKOFFICE TO THE UNITED STATES	112740-114				
DESIGN	NATED/ELECTE	U.S. APPLICATIONNO. (IF KNOWN, SEE 37 CFR					
CONCE	RNING A FILIN	09/701693					
ITERNATIONALAPP PCT/DE99		INTERNATIONAIFILINGDATE 18 May 1999	PRIORITYDATECLAIMED 03 June 1998				
TLEOF INVENTION ROGRAM-CONT	ROLLED APPARA	ATUS					
olfgang Fraas et							
plicant herewith sub	omits to the United Stat	tes Designated/Elected Office (DO/EO/US) t	he following items and other information:				
		tems concerning a filing under 35 U.S.C. 371					
		UENT submission of items concerning a filing					
. X This is an examination	express request to begi	in national examination procedures (35 U S.C of the applicable time limit set in 35 U.S.C. 3	C. 371(f)) at any time rather than delay 371(b) and PCT Articles 22 and 39(1).				
	A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date.						
A copy of	A copy of the International Application as filed (35 U.S.C. 371 (c) (2))						
a. 🛭 i	s transmitted herewith	(required only if not transmitted by the Inter	national Bureau).				
b. 🗆 1	nas been transmitted by	the International Bureau.					
c. 🗆 i	s not required, as the a	pplication was filed in the United States Rece	eiving Office (RO/US).				
5. 🛭 A translati	A translation of the International Application into English (35 U.S.C. 371(c)(2)).						
7. 🛭 A copy of	the International Searc	th Report (PCT/ISA/210).					
		International Application under PCT Article					
		required only if not transmitted by the Inte	rnational Bureau).				
		by the International Bureau.					
		wever, the time limit for making such amend	ments has NOT expired.				
	have not been made and		2 271/-//2))				
	A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)). An oath or declaration of the inventor(s) (35 U.S.C. 371 (c)(4)).						
_	A copy of the International Preliminary Examination Report (PCT/IPEA/409). A translation of the annexes to the International Preliminary Examination Report under PCT Article 36						
	. 371 (c)(5)).	o monational reminiary Examination Rep	AND A CA ANDROOM				
		(s) or information included:					
		ment under 37 CFR 1.97 and 1.98.					
-		ording. A separate cover sheet in compliance	with 37 CFR 3.28 and 3.31 is included.				
	A FIRST preliminary amendment.						
		preliminary amendment.					
	te specification.						
	of power of attorney ar						
	Certificate of Mailing by Express Mail						
	ns or information:						
Submissio	on of Drawings Fig.s 1	1-2 on two sheets					

The state of the s
Barth and again them are a second as a second and the second from the first
real that there are the man in min man man the first that the
there retries there are received in more many many their their
The state of the s
TOTAL THE THEOREM COMMUNICATION TO THE PARTY OF THE PARTY
TOTAL THE THEOREM COMMUNICATION TO THE PARTY OF THE PARTY
TOTAL THE THEOREM COMMUNICATION TO THE PARTY OF THE PARTY
THE THE TOTAL CHIM BUILD
mino man man anno anno anno anno anno anno
And the same
11.75
12.50

					5	28 Re	<u>:c'd</u>	PCT/PTO S	30 NOV 200
U.S. APPLICATION	NO. (IF KN	OWN,SEE	37 CFR	INTERNATIONAIA • PCT/DE	PPLICATIO			ATTORNEY!	SDÖCKETNÜMBER 740-114
21. The fol	lowing fees	are submi	tted:.					CALCULATIONS	PTOUSEONLY
BASIC NATIONA Neither interinterinterinterinterinterinterinal	L FEE (3' rnational pr search fee	7 CFR 1.49 eliminary ((37 CFR 1	92 (a) (1) - examination 445(a)(2)	(5)): fee (37 CFR 1.482) no paid to USPTO by the EPO or JPO		\$1,00	0.00	CADCODATION	TIOUSECINET
✓ International	preliminar	y examina	tion fee (37	CFR 1.482) not paid t	to	ŕ	0.00		
but internation	onal search	fee (37 CI	FR 1.445(a)(CFR 1.482) not paid to (2)) paid to USPTO		\$71	0.00		
but all claim	s did not sa	tisfy provi	sions of PC	d to USPTO (37 CFR 1 T Article 33(1)-(4)		\$69	0.00		
	ns satisfied	provisions	of PCT Art	d to USPTO (37 CFR) icle 33(1)-(4)			0.00		
				ATE BASIC FE				\$860.00	
urcharge of \$130.0 nonths from the ear	rliest claime	ed priority	date (37 C)	FR 1.492 (e)).	□ 20	□ 30		\$0.00	
CLAIMS	NI	JMBER FI		NUMBER EXTI		RATE		\$0.00	
otal claims		11	- 20 =	0	x x	\$78.0	<u> </u>	\$0.00 \$0.00	
dependent claims Aultiple Dependen	t Claima (a	l book if on	- 3 =		^	<u>\$78.∪</u>		\$0.00	
mulple Dependen	t Claims (c			ABOVE CALC	ULATIO		=	\$860.00	
eduction of 1/2 fo ust also be filed (r filing by Note 37 CF	small entity	y, if applica	ble. Verified Small Er eck if applicable).				\$0.00	
**************************************					SUBTO	TAL	=	\$860.00	
occessing fee of \$1	130.00 for 1 rliest claime	urnishing to	the English date (37 Cl	translation later than FR 1.492 (f)).	□ 20	□ 30) +	\$0.00	
				TOTAL NATI	IONAL F	EE	=	\$860.00	
ee for recording the companied by an	e enclosed appropriate	assignment cover she	t (37 CFR 1 et (37 CFR	.21(h)). The assignme 3.28, 3.31) (check if a	ent must be applicable).			\$0.00	
				TOTAL FEES	ENCLOS	SED	=	\$860.00	
								Amount to be: refunded	\$
								charged	\$
☐ Please char	the amount ge my Dep e copy of the	osit Accou	nt No.	to cover the above for in the a	ees is enclose	ed.		to cover the abo	ve fees.
_	issioner is l			harge any fees which n A duplicate copy of the	•		edit a	ny overpayment	
				7 CFR 1.494 or 1.495 e the application to p			petiti	on to revive (37 CF	R
END ALL CORRI	ESPONDEN	ICE TO:			ı	W	12	W/	
Villiam E. Vaugh Bell, Boyd & Lloy					s	IGNATU	JRE	1	
P.O. Box 1135 Chicago, IL 60690-1135				_	William E. Vaughan				
						IAME o ose			
					_	9,056 EGISTR	ATIO	N NUMBER	·
					N	lovemb	er 30	, 2000	
					D	ATE			

BOX PCT

IN THE UNITED STATES ELECTED/DESIGNATED OFFICE OF THE UNITED STATES PATENT AND TRADEMARK OFFICE UNDER THE PATENT COOPERATION TREATY-CHAPTER II

5

APPLICANTS:

Wolfgang Fraas et al.

DOCKET NO: 112740-114

SERIAL NO:

GROUP ART UNIT:

(Reg. No. 39,056)

EXAMINER:

10 INTERNATIONAL APPLICATION NO: PCT/DE99/01489

INTERNATIONAL FILING DATE:

18 May 1999

INVENTION:

PROGRAM-CONTROLLED APPARATUS

Assistant Commissioner for Patents,

15 Washington, D.C. 20231

SUBMISSION OF DRAWINGS

Applicants herewith submit two sheets (Figs. 1-2) of drawings for the

20 above-referenced PCT application.

Respectfully submitted,

William E. Vaugnan

Bell, Boyd & Lloyd LLC

P.O. Box 1135

Chicago, Illinois 60690-1135


(312) 807-4292

Attorneys for Applicants


30

25





2/2



09/701693 528 Rec'd PCT/PTO 30 NOV 2000

BOX PCT

IN THE UNITED STATES ELECTED/DESIGNATED OFFICE OF THE UNITED STATES PATENT AND TRADEMARK OFFICE UNDER THE PATENT COOPERATION TREATY-CHAPTER II

5

PRELIMINARY AMENDMENT

APPLICANT: Wolfgang Fraas et al.

DOCKET NO: 112740-114

SERIAL NO:

GROUP ART UNIT:

10

EXAMINER:

INTERNATIONAL APPLICATION NO:

PCT/DE99/01489

INTERNATIONAL FILING DATE:

18 May 1999

INVENTION:

PROGRAM-CONTROLLED APPARATUS

15 Assistant Commissioner for Patents, Washington, D.C. 20231

Sir:

Please amend the above-identified International Application before entry into the National stage before the U.S. Patent and Trademark Office under 35 U.S.C. §371 as follows:

In The Specification:

On page 1, cancel lines 1-10 and substitute the following therefor:

--SPECIFICATION

25

30

TITLE

PROGRAM-CONTROLLED APPARATUS

BACKGROUND OF THE INVENTION

Field of the Invention

The present invention relates, generally, to a program-controlled apparatus and, more particularly, to a data processing or telecommunications apparatus controlled by software.

Description of the Prior Art--.

On page 1, line 11, cancel "Program-controlled apparatuses" and substitute therefor -- A program-controlled apparatus--.

On page 1, line 11, cancel "systems" and substitute therefor --system--.

On page 1, line 12, cancel "comprise" and substitute therefor --includes--.

5 On page 1, line 15, cancel the ",".

On page 1, line 32, insert -- thus-- before "can".

On page 1, line 32, cancel "thus"

On page 1, line 33, cancel ", so that" and substitute therefor --. As such, --.

On page 1, line 36, cancel "therefore".

On page 1, line 36, insert --, therefore,-- after "need".

On page 2, before line 3, insert the following centered heading:

--SUMMARY OF THE INVENTION---.

On page 2, line 3, cancel "The" and substitute therefor -- Accordingly, the--.

On page 2, lines 3-4, cancel "therefore based on the object of specifying"

and substitute therefor --directed to--.

On page 2, cancel lines 8-13.

On page 2, line 14, cancel "the" after the "," and substitute therefor --a--.

On page 2, line 16, insert --a-- before "memory".

On page 2, line 16, cancel "means"

20 On page 2, line 17, cancel "store" and substitute therefor --stores--.

On page 2, line 22, cancel ", such that and substitute therefor --. As such,--.

On page 2, line 28, cancel "means are" and substitute therefor --is--.

On page 2, line 29, cancel "said crypto chip" and substitute therefor --it--.

On page 2, line 31, cancel the ",".

On page 2, line 32, insert -- and locally-- after "permanently".

On page 2, line 33, cancel "locally".

On page 3, line 7, cancel "may".

On page 3, line 7, insert --may-- after "preferably".

On page 3, line 8, cancel "in this way".

On page 3, line 14, cancel the ",".

10

On page 3, line 17, cancel "means" and substitute therefor --procedures--.

On page 3, lines 18-19, cancel ", said other identification means allowing" and substitute therefor --which would allow--.

On page 3, line 22, cancel ", one" and substitute therefor --. One--.

On page 3, line 23, cancel "being" and substitute therefor --is--.

On page 3, cancel lines 29-31 and substitute the following therefor:

--Additional features and advantages of the present invention are described in, and will be apparent from, the following Detailed Description of the Preferred Embodiments and the Drawings.

DESCRIPTION OF THE DRAWINGS--

On page 3, line 34, cancel the "," and substitute therefor a --;--.

On page 4, line 2, cancel "shown in" and substitute therefor --from--.

On page 4, line 3, insert --teachings of the --before "present".

On page 4, before line 4, insert the following centered heading:

15 -- DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS---.

On page 4, line 7, cancel "the invention" and substitute therefor --it--.

On page 4, line 17, cancel the "," and substitute therefor a --;--.

On page 4, line 17, insert a --,-- after "i.e.".

On page 4, line 20, cancel "comprises" and substitute therefor --includes--.

On page 4, line 21, cancel the "," after "4".

On page 4, line 35, cancel "analogue" and substitute therefor -- analog--.

On page 4, line 36, cancel "analogue" and substitute therefor -- analog--.

On page 5, line 2, insert --, for example,-- after "of".

On page 5, line 3, cancel ", for example,".

On page 5, lines 3-4, cancel ", for example".

On page 5, line 7, cancel "analogue" and substitute therefor -- analog--.

On page 5, line 15, insert a --, -- after "paths".

On page 5, line 16, cancel the "," after "1" and substitute therefor a --;--.

On page 5, line 16, insert a --, -- after "particular".

On page 5, line 16, cancel the "," after "hardware".

```
On page 5, line 16, insert a --,-- after "i.e.".
               On page 5, line 17, cancel the "," and substitute therefor a --)--.
               On page 5, line 20, cancel "below".
               On page 5, include the paragraph which begins on line 22 in the paragraph
 5
      which ends on line 21.
               On page 5, line 23, cancel "(CPU)".
               On page 5, line 33, cancel "with" and substitute therefor --wherein--.
               On page 5, line 34, cancel "prescribing" and substitute therefor --prescribes-
10
               On page 6, line 8, insert a --,-- after "7".
               On page 6, line 9, insert a --, -- after "database".
                On page 6, line 21, cancel the ",".
                On page 6, line 27, cancel the ",".
                On page 6, line 32, cancel ", said" and substitute therefor --. This--.
15
                On page 6, line 33, cancel "comprising" and substitute therefor --including-
                On page 6, line 34, insert a --, -- after "algorithms"
                On page 6, line 34, cancel "defining" and substitute therefor --it defines--.
                On page 7, line 3, cancel "i.e.".
20
                On page 7, line 4, insert –either-- after "to".
                On page 7, line 7, cancel ", so that" and substitute therefor --. As such,--.
                On page 7, line 11, cancel the "," and substitute therefor a --;--.
                On page 7, line 11, insert a --,-- after "i.e.".
                On page 7, line 16, cancel "on account" and substitute therefor --because--.
25
                On page 7, line 19, cancel "comprises" and substitute therefor --includes--.
                On page 7, line 22, insert a --,-- after "can".
                On page 7, line 22, insert a --, -- after "thus".
                On page 7, line 28, cancel "by way of" and substitute therefor --for--.
                On page 8, line 14, cancel "means" and substitute therefor --processes--.
30
```

On page 5, line 16, insert a --(-- before "i.e.".

On page 8, after line 21, insert the following paragraph:

--Although the present invention has been described with reference to specific embodiments, those of skill in the art will recognize that changes may be made thereto without departing from the spirit and scope of the invention as set forth in the hereafter appended claims.--

On page 12 (last page), cancel lines 1-3 and substitute the following centered heading therefor:

--<u>ABSTRACT OF THE DISCLOSURE</u>--.

On page 12, line 5, cancel "Program-controlled" and substitute therefor -- A program-controlled--.

On page 12, line 5, cancel "(1)".

On page 12, line 7, cancel "(8)".

On page 12, line 9, cancel "said" and substitute therefor --with--.

On page 12, line 11, cancel "(7)".

On page 12, line 12, cancel "(1)".

On page 12, line 13, cancel "(7)".

On page 12, line 15, cancel "(8)".

On page 12, line 17, cancel "(6)".

On page 12, line 18, cancel "(1)".

20 On page 12, line 19, cancel "(8)".

On page 12, line 20, cancel "(6)".

In the Claims:

30

On page 9, cancel line 1, and substitute the following left-hand justified heading therefor:

25 -- We Claim As Our Invention: --.

Please cancel claims 1-11, without prejudice, and substitute the following claims therefor:

12. A program-controlled apparatus, comprising:

a hardware device for performing a particular function in the programcontrolled apparatus;

30

a controller, program-controlled by a piece of system software, for controlling the hardware device; and

a memory, permanently connected to the controller locally, for storing individual user data defining a respective user's possible scope of use of the program-controlled apparatus, the controller controlling the hardware device only within the scope of use defined by the individual user data.

- 13. A program-controller apparatus as claimed in claim 12, further comprising:
- a central control unit and a database as the controller which provide operating data for the system software, the central control unit accessing the individual user data stored in the memory and, on the basis of the individual user data, reading out particular operating data stored in the database which corresponds to the respective user's possible scope of use of the program-controlled apparatus, and driving the hardware device on the basis of the operating data.
 - 14. A program-controlled apparatus as claimed in claim 13, wherein the memory is incorporated in a back plane of the central control unit.
- 20 15. A program-controlled apparatus as claimed in claim 13, wherein the database is part of the system software.
- 16. A program-controlled apparatus as claimed in claim 13, wherein the operating data stored in the database defines all service features offered by the program-controlled apparatus.
 - 17. A program-controlled apparatus as claimed in claim 16, wherein the individual user data stored in the memory defines the service features offered by the program-controlled apparatus which are only accessible to the respective user.

10

25

18. A program-controlled apparatus as claimed in claim 12, further comprising:

an identification device for inputting an identification code, the controller allowing the hardware device to be controlled independently of the individual user data store in the memory if the identification code input via the identification device matches a particular prescribed access code.

- 19. A program-controlled apparatus as claimed in claim 18, wherein the controller allows the hardware device to be controlled on the basis of the entire operating data stored in the database, independently of the individual user data stored in the memory, if the identification code input via the identification device matches the particular access code.
- 20. A program-controlled apparatus as claimed in claim 18, further comprising:

a smart card reader as the identification device.

- A program-controlled apparatus as claimed in claim 12, further comprising:
- a memory chip as the memory.
 - 22. A program-controlled apparatus as claimed in claim 12, wherein the program-controlled apparatus is a program-controlled telecommunications system, and the hardware device includes a switching network for setting up a communication link between subscribers associated with the telecommunications system.

REMARKS

The present amendment makes editorial changes and corrects typographical errors in the specification in order to conform the specification to the requirements

of the United States Patent practice. No new matter is added thereby. Original claims 1-11 have been canceled in favor of new claims 12-22. However, claims 12-22 have been presented solely because the revisions by bracketing and underlining which would have been necessary in claims 1-11 in order to conform those claims to the requirements of United States Patent practice would have been too extensive, and thus would have been too burdensome. The cancellation of claims 1-11 does not constitute an intent on the part of the Applicants to surrender any of the subject matter of claims 1-11.

Early consideration on the merits is respectfully requested.

10

15

5

Respectfully submitted,

(Reg. No. 39,056)

William E. Vaugtan Bell, Boyd & Lloyd LLC

P.O. Box 1135

Chicago, Illinois 60690-1135

(312) 807-4292

Attorneys for Applicants

GR 98 P 1839

Description

5

10

15

20

25

30

35

Program-controlled apparatus

The present invention relates generally to a program-controlled apparatus in accordance with the preamble to claim 1; in particular, the present invention relates to a data processing or telecommunications apparatus controlled by means of software.

Program-controlled apparatuses orcomprise system hardware in order to perform or carry out particular functions of the program-controlled system hardware is supplemented by apparatus. The system software, which provides operating data for the operation of the program-controlled apparatus and thus represents the basis for control of the system hardware. In known program-controlled telecommunications systems, copy protection in the form of the so-called dongle concept is then used in order to ensure that the system software is used only together with that system hardware for which the user has also purchased licenses. This is intended to prevent unauthorized copying of the system software from individual system hardware to other hardware.

With the dongle concept, the system checks at startup whether the dongle has been placed or plugged into the system. If this is not the case, the system cannot be operated. The problem with this concept, however, is the fact that the dongle is removable and can thus be placed into another system for which no license has actually been purchased, so that the correlation check for the hardware and software of a system can be artificially corrupted. There is therefore a need for an improved concept which ensures that the system software

15

20

25

can be used only insofar as it is also covered by licenses.

The present invention is therefore based on the object of specifying an improved program-controlled apparatus which reliably prevents unauthorized copying of the system software and/or unauthorized use of the system software.

The present invention achieves this object by means of a program-controlled apparatus having the features of claim 1. The dependent claims describe preferred and advantageous refinements of the present invention, which, for their part, contribute to improved protection of the system software.

According to the present invention, program-controlled apparatus is used together memory means, for example in the form of a crypto chip, store individual user data stipulating which defining the possible scope of use of the system software for the respective user. When the programcontrolled apparatus is put into operation, this user data is read out and made the basis for control of the system hardware, such that the system hardware driven by the system software only within the scope of use defined by the individual user data. In this way, only predefined service features or a particular number of applications of the system software may be enabled for particular users.

If the memory means are produced in the form of a crypto chip, said crypto chip may be incorporated, by way of example, in the multilayer backplane of the central processor unit of the apparatus, so that it is permanently connected to the central processor unit, i.e. the system software, locally and is particularly difficult to access. When the program-controlled

30

15

20

25

delivered, customer-specific keys is apparatus algorithms are programmed in this chip, for example, so that the system software delivered with the apparatus is able to run only within the scope defined by the keys/algorithms. Although the system programmed software and the associated database for the programcontrolled apparatus may preferably be copied backup purposes, in this way they are not able to run on other systems or apparatuses without the crypto chip.

So that diagnosis/maintenance of the programcontrolled apparatus can still be carried out, for example, external smart card reader, be connected for this purpose, so that the entire system accessible when software is again an authorized person's appropriate smart card is inserted. The use of other identification means for diagnosis/maintenance said is likewise conceivable, purposes identification means allowing a check on the entry of a particular code authorizing diagnosis/maintenance.

The present invention may be applied to various types of program-controlled apparatuses, one preferred area of application being that of data processing or telecommunications apparatuses. In particular, the present invention may be used in telecommunications systems used in private networks for setting up communications links between subscribers associated with the telecommunications system.

The present invention is explained in more detail below with the aid of a preferred illustrative embodiment and with reference to the appended drawing.

Figure 1 shows a simplified block diagram of a program-controlled apparatus in the form of a program-controlled telecommunications system, and

30

20

25

30

35

Figure 2 shows a simplified block diagram of the control device shown in Figure 1 in accordance with the present invention.

Although the present invention can be applied generally to program-controlled apparatuses of various types in which hardware and software are provided separately from one another, the invention will be explained in more detail below with particular reference to a telecommunications system.

Figure 1 shows a simplified block diagram of a telecommunications system 1, such as is used in private communications networks, for example. telecommunications system 1 is used for switching voice, image, text and data connections between the subscribers associated with the telecommunications 15 system 1. The telecommunications system 1 preferably digitally, i.e. digital information operates transmission takes place within the telecommunications system 1.

The telecommunications system 1 comprises, as central hardware device, a digital switching network 4, which represents the actual switching element in the telecommunications system 1. The switching network 4 allows so-called position-based switching from one transmission line connected to the telecommunications system 1 to another transmission line, and so-called time-based switching from one transmission channel to another transmission channel. The digital switching network 4 is generally split into individual switching network modules or switching stages.

The telecommunications system 1 has different associated subscribers and transmission lines connected digital switching network 4 via terminations 2a-2c. If necessary, the line terminations 2a-2c perform analogue/digital conversion in the incoming direction and digital/analogue conversion in the outgoing

15

25

30

35

direction. The line terminations 2a-2c can be connected to the digital switching network 4 by means of PCM transmission lines, for example, having 64 channels, for example. For the sake of simplicity, Figure 1 shows a plurality of subscriber lines 3 only for the line termination 2a, these subscriber lines being able to be associated both with analogue and digital subscriber terminals. Naturally, the line terminations 2b and 2c are each connected to a multiplicity of subscriber lines 3 as well.

The telecommunications system 1 is program-controlled. This is done using a controller 5 which receives the requests for connections from the subscribers in the telecommunications system 1, sets the paths and controls the entire telecommunications system 1, in particular the hardware, i.e. the switching network 4, of the telecommunications system 1.

The design of the controller 5 shown in Figure 20 1 will be explained in more detail below with reference to Figure 2.

The central module in the controller 5 is a central control unit (CPU) 6 in the form of a central processor used to drive the system hardware in the telecommunications system 1. The central control unit 6 is program-controlled and, for this purpose, is driven by a piece of system software 7 which provides a particular database containing operating data operating the system hardware. In this way, the system hardware or the telecommunications system 1 can be provided for a multiplicity of service features LM # 1 - LM # n defined by the system software 7 or its database, with the system software 7, in particular, prescribing for each service feature the operating parameters it requires. With reference to Figure 2, this means that the first service feature LM # 1 may be produced with three different operating parameters 1-A

- 5a **-**

to 1-C, for example, whereas only two different operating parameters

first first that the size with the first that the first first first first first first

15

20

25

2-A and 2-B are possible for the second service feature LM # 2. Overall, the system software 7 thus equips the telecommunications system 1 to produce n service features. These service features may be generally known facilities for digital telephone networks, such as "call waiting", "call diversion", "call forwarding", "calling line identification presentation" or "advice of charge", etc. The system software 7 or the corresponding database thus provides the central control unit 6 with all the operating information necessary for operating the telecommunications system 1, so that the telecommunications system 1 or its system hardware can be program-controlled.

and the associated software 7 system database can be copied by the respective user for backup purposes. However, to ensure that the system software 7 or its database is not able to run on other systems or telecommunications systems with different system hardware, the central control unit 6 in the telecommunications system 1 is coupled to an additional memory 8, which contains individual user data. particular, this memory 8 may be a crypto chip, as is generally used in connection with smart cards. The memory 8 is permanently coupled to the central control unit 6 locally and, by way of example, is incorporated in the multilayer backplane of the central control unit 6, so that the memory 8 cannot be isolated from the central control unit 6.

When the telecommunications system or the program-controlled apparatus is delivered, the aforementioned individual user data is programmed, i.e. stored, in this memory 8, said individual user data comprising, by way of example, customer-specific keys or algorithms and defining the respective

15

20

25

30

35

user's possible scope of use of the system software or of the telecommunications system.

Since the memory 8 is permanently, i.e. not removably, coupled to the system software the central control unit 6, self-identification of the system hardware using the memory 8 or the information stored in it is possible, so that an unambiguous 1:1 association between the system software and the system hardware in the telecommunications system is provided, and the system software 7 is assured not to be able to run on another telecommunications system, i.e. conjunction with other system hardware. Since, particular, the memory 8 is permanently coupled to the central control unit 6, the problem described in the introduction regarding the dongle concept, which arises on account of the interchangeability of the dongle, is not encountered on the basis of the present invention.

As Figure 2 shows, the individual user data stored in the memory 8 comprises, in particular, information stipulating the respective user's possible scope of use of the system software 7. The user data stored in the memory 8 can thus stipulate which of the service features offered by the telecommunications system or the system software 7 are accessible for the respective user, and how many different applications are covered by the license associated with the memory or the crypto chip 8. In the example shown in Figure 2, by way of example, the user has access only to service features LM # 1 and LM # 3, with service feature LM # 1 additionally being able to be operated only with parameters 1-A and 1-C, for example, whereas service feature LM # 3 can be accessed by the user only with operating parameter 3-B. This ensures that the system software 7 delivered with the system hardware is able to run only within the

15

20

scope ordered by the respective user beforehand.

Despite the restriction of the scope of use by the user data stored in the memory 8, the case may arise that the entire system software 7 needs to be accessed for diagnosis or maintenance purposes. For this purpose, the central control unit 6 can be coupled to an interface 9 to which, by way of example, an external smart card reader may be connected, so that an authorized person can identify himself the telecommunications system or to the central control unit 6 using a special smart card and can cancel the restrictions on the system software 7 which are prescribed by the memory 8. Of course, it is also possible to use other identification means allowing identification of a person authorized to access the entire system software 7 or its entire database. Thus, by way of example, provision may be made for a keyboard entry instead of a smart card reader, on which basis entry of an appropriate access code removes restrictions in the memory 8 and the authorized person can access the entire system software 7.

Patent claims

- A program-controlled apparatus,
- having a hardware device (2a-2c, 4) for performing a particular function in the program-controlled apparatus (1), and

having control means (6, 7), program-controlled by a piece of system software, for controlling the hardware device (2a-2c, 4),

- 10 characterized by
 - memory means (8), permanently connected to the program-controlled control means (6, 7) locally, for storing individual user data defining the respective user's possible scope of use of the program-controlled
- apparatus (1), the program-controlled control means (6, 7) driving the hardware device (2a-2c, 4) only within the scope of use defined by the individual user data.
 - 2. The program-controlled apparatus as claimed in claim 1,
- 20 characterized
 - in that the program-controlled control means (6, 7) comprises a central control unit (6) and a database (7) which provides operating data for the system software, the central control unit (6) being designed such that
- it accesses the individual user data stored in the memory means (8) and, on the basis of this individual user data, reads out particular operating data which is stored in the database (7) and corresponds to the respective user's possible scope of use of the program-
- 30 controlled apparatus (1), and drives the hardware device (2a-2c, 4) on the basis of this operating data read out.
 - 3. The program-controlled apparatus as claimed in claim 2,
- 35 characterized

in that the database is part of the system software (7) for the program-controlled apparatus (1).

4. The program-controlled apparatus as claimed in claim 2 or 3,

characterized

- in that the operating data stored in the database defines all the service features offered by the program-controlled apparatus (1).
 - 5. The program-controlled apparatus as claimed in claim 4,

characterized

- in that the individual user data stored in the memory means (8) defines the service features of the program-controlled apparatus (1) which are only accessible to the respective user.
 - 6. The program-controlled apparatus as claimed in
- 15 one of the preceding claims,

characterized by

- identification means (9) for inputting an identification code,
- the program-controlled control means (6, 7) being designed such that they allow the hardware device (2a-2c, 4) to be controlled independently of the individual user data stored in the memory means (8) if the identification code input using the identification means (9) matches a particular prescribed access code.
- 25 7. The program-controlled apparatus as claimed in claim 6 and one of claims 2-5,

characterized

in that the program-controlled control means (6, 7) are designed such that they allow the hardware device (2a-

30 2c, 4) to be controlled on the basis of the entire operating data stored in the database, independently of the individual user data stored in the memory means (8) if the identification code input using the identification means (9)

matches the particular access code.

8. The program-controlled apparatus as claimed in claim 6 or 7,

characterized

- 5 in that the identification means (9) comprise a smart card reader.
 - 9. The program-controlled apparatus as claimed in claim 2,

characterized

- in that the memory means (8) are incorporated in the backplane of the central control unit (6).
 - 10. The program-controlled apparatus as claimed in one of the preceding claims,

characterized

- in that the memory means (8) comprise a memory chip.
 - 11. The program-controlled apparatus as claimed in one of the preceding claims,

characterized

20

in that the program-controlled apparatus (1) is a program-controlled telecommunications system,

the hardware device (2a-2c, 4) comprising switching means (4) for setting up a communication link between the subscribers associated with the telecommunications system.


Abstract


Program-controlled apparatus

Program-controlled apparatus (1), in particular in the form of a program-controlled telecommunications system, in which a memory chip (8) is used which has individual user data programmed into it when the apparatus is delivered, said individual user data defining the particular user's available scope of use of the system software (7) for the program-controlled apparatus (1). This ensures that the system software (7) delivered is able to run only within the scope ordered by the respective user and covered by the The memory chip (8) is, purchased license. particular, permanently accommodated in the multilayer backplane of the central control unit (6) of the program-controlled apparatus (1), with the result that the memory chip (8) cannot be isolated from the central control unit (6) by a user.

Figure 2







from the party from who wise my time the first wife from the first from the first fact from the first from the

Declaration and Power of Attorney For Patent Application Erklärung Für Patentanmeldungen Mit Vollmacht

German Language Declaration

Als nachstehend benannter Erfinder erkläre ich hiermit an Eides Statt:	As a below named inventor, I hereby declare that:
dass mein Wohnsitz, meine Postanschrift, und meine Staatsangehörigkeit den im Nachstehenden nach meinem Namen aufgeführten Angaben entsprechen,	My residence, post office address and citizenship are as stated below next to my name,
dass ich, nach bestem Wissen der ursprungliche, erste und alleinige Erfinder (falls nachstehend nur ein Name angegeben ist) oder ein ursprünglicher, erster und Miterfinder (falls nachstehend mehrere Namen aufgeführt sind) des Gegenstandes bin, für den dieser Antrag gestellt wird und für den ein Patent beantragt wird für die Erfindung mit dem Titel:	I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled
Programmgesteuerte Vorrichtung	
deren Beschreibung	the specification of which
(zutreffendes ankreuzen) X hier beigefügt ist.	(check one) is attached hereto.
am als PCT internationale Anmeldung PCT Anmeldungsnummer	☐ was filed on as PCT international application PCT Application No
eingereicht wurde und am abgeandert wurde (falls tatsächlich abgeandert).	and was amended on(if applicable)
Ich bestatige hiermit, dass ich den Inhalt der obigen Patentanmeldung einschliesslich der Ansprüche durchgesehen und verstanden habe, die eventuell durch einen Zusatzantrag wie oben erwähnt abgeän- dert wurde.	I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims as amended by any amendment referred to above.
Ich erkenne meine Pflicht zur Offenbarung irgendwelcher Informationen, die für die Prüfung der vorliegenden Anmeldung in Einklang mit Absatz 37, Bundesgesetzbuch, Paragraph 1.56(a) von Wichtigkeit sind, an.	I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, §1.56(a).
Ich beanspruche hiermit ausländische Prioritätsvorteile gemäss Abschnitt 35 der Zivilprozessordnung der Vereinigten Staaten, Paragraph 119 aller unten angegebenen Auslandsanmeldungen für ein Patent oder eine Erfindersurkunde, und habe auch alle Auslandsanmeldungen für ein Patent oder eine Erfindersurkunde nachstehend gekennzeichnet, die ein Anmeldedatum haben, das vor dem Anmeldedatum der Anmeldung liegt, für die Priorität beansprucht wird	I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:
Page 1	of 3

	7 4
- 1	: 3
	:
-	1 2
1	
	-
ATT.	: ::
117.2	, ä
Latit.	11.11
à,	25
ui,	ii.
2	
entire;	
93,000	å
	ļ
300	g., j
Same Same	200
ing.	7

		German Lang	uage Declaration		
Prior foreign appp Priorität beanspru				<u>Priorit</u>	y Claimed
198 24 814.8 (Number) (Nummer)	Germany (Country) (Land)	03. Juni 19 (Day Month) (Tag Monat)		Yes Ja	No Nein
(Number) (Nummer)	(Country) (Land)		(Day Month Year Filed) (Tag Monat Jahr eingereicht)		No Nein
(Number) (Nummer)	(Country) (Land)	(Day Month (Tag Monat	Year Filed) Jahr eingereicht)	Yes Ja	No Nein
prozessordnung of 120, den Vorzug dungen und falls spruch dieser Ann rikanischen Paten graphen des Absa Vereinigten Staat erkenne ich gemä Paragraph 1.56(a Informationen an, der früheren Ann	hiermit gemäss Absatz der Vereinigten Staate g aller unten aufgefü der Gegenstand au neldung nicht in einer s stanmeldung laut dem atzes 35 der Zivilproze ten, Paragraph 122 äss Absatz 37, Bunde) meine Pflicht zur Off die zwischen dem A neldung und dem na len Anmeldedatum d vorden sind.	en, Paragraph hrten Anmel- es jedem An- früheren ame- ersten Para- eßordnung der offenbart ist, esgesetzbuch, fenbarung von unmeldedatum	I hereby claim the ben tes Code. §120 of an listed below and, insofa of the claims of this ap prior United States app by the first paragraph of §122, I acknowledge information as defined Regulations, §1.56(a) filing date of the prior PCT international filing	y United Star as the subj plication is n lication in the of Title 35, U the duty to in Title 37, which occu application a	ates application(s) ject matter of each ot disclosed in the manner provided nited States Code, disclose material, Code of Federal ured between the and the national or
(Application Serial No.) (Anmeldeseriennumme		Date) Idedatum)	(Status) (patentiert, anhängig, aufgegeben)	(Status) patented, pending, abandoned)
(Application Serial No.) (Anmeldeseriennumme		Date) Idedatum)	(Status) (patentiert, anhängig, aufgeben)	Ò	Status) patented, pending, abandoned)
den Erklärung g besten Wissen u entsprechen, und rung in Kenntnis d vorsätzlich falsche Absatz 18 der Z Staaten von Ame Gefängnis bestraf wissentlich und vi tigkeit der vorlieg	t, dass alle von mir in emachten Angaben ind Gewissen der voldass ich diese eidesstessen abgebe, dass we Angaben gemäss Pativilprozessordnung derika mit Geldstrafe bet werden koennen, und orsätzlich falsche Angenden Patentanmelduatentes gefährden könn	nach meinem Illen Wahrheit sattliche Erklä- vissentlich und ragraph 1001, er Vereinigten elegt und/oder I dass derartig aben die Gül- ng oder eines	I hereby declare that a my own knowledge ar made on information true, and further that with the knowledge that the like so made are p ment, or both, under S United States Code an ments may jeopardize to any patent issued there	e true and t and belief a these stater at willful fals bunishable by Section 1001 ad that such the validity o	hat all statements are believed to be ments were made se statements and by fine or imprisonof Title 18 of the willful false state-

German Language Declaration

VERTRETUNGSVOLLMACHT: Als benannter Erfinder beauftrage ich hiermit den nachstehend benannten Patentanwalt (oder die nachstehend benannten Patentanwälte) und/oder Patent-Agenten mit der Verfolgung der vorliegenden Patentanmeldung sowie mit der Abwicklung aller damit verbundenen Geschäfte vor dem Patent- und Warenzeichenamt: (Name und Registrationsnummer anführen)

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. (list name and registration number)

And I hereby appoint Messrs John D Simpson (Registration No. 19,842) Lewis T Steadman (17,074), William C. Stueber (16,453), P. Phillips Connor (19,259), Dennis A. Gross (24,440), Marvin Moody (16,549), Steven H. Noll (28,982), Brett A. Valiquet (27,841), Thomas I. Ross (29,275), Kevin W. Guynn (29,927), Edward A. Lehmann (22,312), James D. Hobart (24,149), Robert M. Barrett (30,142), James Van Santen (16,584), J. Arthur Gross (13,615), Richard J. Schwarz (13,472) and Melvin A. Robinson (31,870), David R. Metzger (32,919), John R. Garrett (27,888) all members of the firm of Hill, Steadman & Simpson, A Professional Corpo-Direct Telephone Calls to: (name and telephone num-Telefongespräche bitte richten an (Name und Telefonnummer) 312/876-0200 Ext. _ Send Correspondence to: Postanschrift: HILL, STEADMAN & SIMPSON A Professional Corporation 85th Floor Sears Tower, Chicago, Illinois 60606 Full name of sole or first inventor: Voller Name des einzigen oder ursprünglichen Erfinders: ERAAS, Wolfgang Datum Inventor's signature Date Residence D-82515_Wolfratshausen, Germany Citizenship Bundesrepublik Deutschland Postanschrift Post Office Addess Karwendelstr. 2 D-82515 Wolfratshausen Bundesrepublik Deutschland Voller Name des zweiten Miterfinders (falls zutreffend) Full name of second joint inventor, if any: BONK, Franz Unterschrift des Erfinders Datum Second Inventor's signature 17,5,99 Residence D-81377 München, Germany Citizenship Bundesrepublik Deutschland Postanschrift Post Office Address Wessobrunner Platz 12 D-81377 München Bundesrepublik Deutschland

Page 3 of 3

Form PTO-FB-240 (8-83)

(Bitte entsprechende Informationen und Unterschriften im

Falle von dritten und weiteren Miterfindern angeben).

affir offi

Patent and Trademark Office-U.S. Department of COMMERCE

subsequent joint inventors).

(Supply similar information and signature for third and